New Zealand Department of Agriculture,
Industries, and Commerce.

THE

JOURNAL

OF

AGRICULTURE.

Published by direction of
The Hon. W. D. S. MACDONALD,
Minister of Agriculture.

VOL. XIV.

(JANUARY–JUNE, 1917.)



WELLINGTON.
BY AUTHORITY: MARCUS F. MARKS, GOVERNMENT PRINTER.

1917.

JOURNAL

OF

AGRICULTURE.

VOLUME XIV.

(January–June, 1917.)

GENERAL INDEX.

A.

Age of maturity in cows, 491.
Agriculture, Board of, 75, 245, 415, 494.
Agricultural bursaries, 157.
Agricultural collections, 46.
Agricultural instruction and the Central Development Farm, Weraroa, 83.
Agricultural labour, &c., organization of, 498.
Agricultural shows, forthcoming, 74, 156, 246, 338, 422, 500.
Aid to soldier-settlers, 31.
Alluvial flat, top-dressing, 414.
Answers to correspondents, 71, 153, 241, 323, 411, 490.
Apiary, the (monthly notes), 63, 146, 233, 313, 404, 485.
Arataki, spray-testing at, 219.
Arsenical spray for blackberry, 137.
Artichokes, keeping, 491.
Assistance to wheat-growers, 418.

B.

Bee, the black, 155.
Beekeepers' field-day, Cheviot, 253.
Bees as pollinators in the orchard, 395.
Bees: rearing of queens at Ruakura, 177.
Black bee, the, 155.
Blackberry, arsenical spray for, 137.
Blackberry nuisance: spraying on light lands, 52.
Blight on pine-trees, 324.
Blown cows, treatment for, 414.
Board of Agriculture (meetings), 75, 245, 415, 494.
Board of Agriculture: appointment of new Board, 416.
Borer and black aphis in orange-trees, 412.
Bran, maximum price for, 163.
Bran and pollard, price of, 419.
Brewery-hops, spent: value as garden manure, 411.
Brushing in horse, 71.
Budding cherry-trees, 155.
Bursaries, agricultural, 157.
Butter, maximum prices of, 248.

C.

Calf, death of, through eating hemlock, 242.
Calf-skins, restriction of sale of, 418.
Californian thistle and its control, 469.
Californian thistle, control of, in broken country, 413.
Californian thistle controlled in North Otago by lucerne, 45.
Californian thistle, eradicating small patch of, 493.
Calves, lungworm in, 153.
Calves, scouring in, 393.
Calves' vells for the rennet-supply, 133.
Canterbury, liming tests in, 221.
Canterbury Seed-growers' Association, 250.
Carob-tree, the, 220, 417.
Catch-crop forage, 241.
Cauliflower-seed, 242.
Central Development Farm, Weraroa, and agricultural instruction, 83.
Cereals, export of, prohibited, 165.
Certificate-of-record cows, 89, 135, 274, 463.
Cheese, exportation of, 254, 498.
Cheese, Government purchase of, 160.
Cheesemaking, pepsin in, 32.
Cherry-plums, propagating, 491.

Cherry-trees, budding, 155.
Cherry-trees, gumming in, 156.
Cheviot beekeepers' field-day, 253.
Climatic range for loquats, 154.
Club-root in turnips, 412.
Coal-ashes round trees, 156.
Cocksfoot, growing, for seed, 154.
Collections, agricultural, 46.
Combination farm-gate, a, 51.
Control of pennyroyal, 49.
Convolvulus, getting rid of, 242.
Co-operative fruit-testing at Tasman, 345.
Covering grass-seed, 324.
Cow, a special-purpose dairy, 224.
Cow, loss of hair in, 72.
Cows, age of maturity in, 491.
Cows, certificate-of-record, 89, 135, 274, 463.
Cow's teats, lumps or "peas" in, 155.
Cow's teats, warts on, 323.
Cow's udder, quarters of, 242.
Cows, time for dehorning, 490.
Cows, treatment for blown, 414.
Cream, fermenting of, 244.
Crickets and fruit-trees, 325.
Crops for pigs, 324.
Crown lands for selection by discharged soldiers, 422, 497.
Cultivation and occupation of land in New Zealand, 79.
Cupressus Lawsoniana for Waitemata lands, 492.
Cupressus macrocarpa, raising, 154.

D.

Dairying, intensive, in Australia, 302.
Dehorning cows, time for, 490.
Depleted lands of the South Island central regions, the, 293.
Destruction of rats, 178.
Dry fodder, need for supplementary, in feeding off root crops in the South, 216.
Dying of young fruit-trees, 190.

E.

Empire's wool, the proposals for future control of, 496.
Ensilage notes, 447.
Ensilage, value of, in dry season, 240.
Estimated yields of wheat and oats, 168.
Estuarial lands of the North Island, 125.
Eucalypts for settlers, 1, 116.
Exportation of cheese, 254, 498.
Exports to United Kingdom, 80, 166.
Exports, principal, in 1916 and 1915, 250.

F.

Feed for poultry, 72.
Feeding off root crops in the South, 216.
Fellmongers and woolbrokers, remuneration of Government, 249.
Fermenting of cream, 244.
Fertilizers, importation of, 350.
Field-day at the Ruakura Apiary, 305.
Filbert-nut-growing, 491.
Fire-blight, precautions against introduction of, 416.
Flax, pests and diseases of New Zealand, 431.
Flour, maximum price for, 163.
Foot-rot in sheep, treatment of, 325.
Forage catch-crop, 241.
Fowlhouses, whitewash for, 323.
Freezing works, meat, in New Zealand, 251.
Fruit-testing, co-operative, the Tasman area, 345.
Fruit-trees, dying of young, 190.
Fruit-trees, sour-sap in, 35, 190.
Fruit, varieties of, for Hunterville district, 243.

G.

Garden manuring and trenching, 73.
Garden, the (monthly notes), 67, 150, 236, 317, 407, 488.
Gate, a combination farm, 51.
"Golden Swan," purchase of, 354.
Gorse-destruction, spraying for, 414.
Grape-vine, outdoor culture of the, in New Zealand, 101, 197, 278, 363.
Grass-mixtures, surface-sown, 169.
Grass-seed, covering, 324.
Grass-seed supplies for United Kingdom, 162.
Grass-seeds, sowing, with fertilizers, 492.
Gravy-eye or mattery-eye in potatoes (Pukekohe district), 357.
Grazing and soil-constituents, 324.
"Grease," horse with, 493.
Green peas, preserving, 71.
Gumming in cherry-trees, 156.

H.

Hay for poultry-litter, 74.
Hedge-plants, honey-producing, 54.
Hemlock, death of calf through eating, 242.
Hides, purchase of, by the Government, 333.
Hides, restriction of sale of, 418.
High Commissioner's cabled market reports, 81, 167, 252, 336, 420, 499.
Honey-producing hedge-plants, 54.
Hops, spent brewery, for garden-manure, 411.
Horse, brushing in, 71.
Horse, staggers in, 413.
Horse with "grease," 493.
Horse's leg, swelling on, 72.
Horses, wind-galls in young, 411.

I.

Importation of fertilizers, 350.
Increase the wheat-production, 255.
Injury to mare's hock, 241.

Instruction, agricultural, and the Central Development Farm, Weraroa, 83.
Intensive dairying in Australia, 302.
Irrigation for New Zealand, 449.

K.

Kudzu-plant, the, 243.
Kumara-growing, 73.

L.

Ladybirds and spraying, 242.
Lambing estimates, 138.
Land in New Zealand, occupation and cultivation of, 79.
Lands, estuarial, of the North Island, 125.
Leguminous plants and their uses, 38.
Lime, forms of, 325.
Lime-carbonate, pipi-shells for, 241.
Lime-sulphur spray for potatoes, &c., 490.
Liming tests in Canterbury, 221.
Live-stock troubles, queries regarding, 476.
Locust-tree (or carob), 220, 417.
Loganberries, propagating, 154.
London wool-sales, 78.
London market values, 81, 167, 252, 336, 420, 499.
Loquats, climatic range of, 154.
Lucerne at Milton, 304.
Lucerne at Moumahaki, 304.
Lucerne-culture at Ruakura, 423.
Lucerne-growing in North Otago: Californian thistle controlled, 45.
Lungworm in calves, 153.
Lupin, planting white, 244.

M.

Manures for sandy garden, 493.
Manuring tomatoes, 71.
Mare's hock, injury to, 241.
Market values, London, 81, 167, 252, 336, 420, 499.
Mattery-eye or gravy-eye in potatoes, 357.
Maximum prices for wheat, flour, bran, and pollard, 163.
Maximum prices of butter, 248.
Meat-freezing works in New Zealand, 251.
Medical and veterinary science, 186.
Milk for pigs, 244.
Milk, price of, in Wellington area, 165, 337.
Milk, price of, in Wanganui, 417.
Milking-Shorthorn herd, the Ruakura, 389.
Moumahaki, lucerne at, 304.
Mushroom-culture, 22.
Mustard and milk-tainting, 325.

N.

National Efficiency Board: organization of agricultural labour, &c., 498.
New Zealand exports to United Kingdom, 80, 166.
Noxious weeds and their control (Californian thistle), 469.
Noxious weeds in New Zealand: notes on a recent inquiry, 339.
Nut-growing (filbert, &c.), 491.

O.

Oat crop, the world's, 78.
Oats, eradicating wild, 155.
Oats and wheat, estimated yields of, 168.
Oats and wheat threshings, 493.
Occupation and cultivation of land in New Zealand, 79.
Olives in New Zealand, 490.
Orange-trees, borer and black aphis in, 412.
Orchard, the (monthly notes), 55, 139, 226, 308, 397, 477.
Organization of agricultural labour, &c., 498.
Outdoor culture of the grape-vine in New Zealand, 101, 197, 278, 363.

P.

Paspalum, eradicating, 411.
Paspalum, sowing, 153.
Paspalum-paddock, renewing a, 412.
Peaches, varieties of, successful at Ruakura, 225.
Peanuts, 323.
Peanuts, growing of, 475.
Pear-blight or fire-blight, precautions against introduction of, 416.
Pennyroyal, control of, 49.
Permanent-pasture formation: temporary-filler experiments at Ruakura, 28.
Pepsin in cheesemaking, 32.
Pests and diseases of New Zealand flax, 431.
Pigs, crops for, 324.
Pigs, milk for, 244.
Pine-trees, blight on, 324.
Pipi-shells for lime-carbonate, 241.
Poisoning, treatment for tutu, 492.
Pollard, maximum price for, 163.
Pollard and bran, price of, 419.
Potash in New Zealand and other countries, 257.
Potash in agriculture: further researches, 440.
Potato-growing for small areas, 473.
Potato-scab, 495.
Potato-moth, the, 327.
Potatoes, gravy-eye or mattery-eye in, 357.
Potatoes, &c., lime-sulphur spray for, 490.
Poultry-feed, 72.

Poultry-feeding tests at Milton, 464.
Poultry hints, 326.
Poultry-keeping (monthly notes), 59, 141, 229, 312, 400, 481.
Poultry-litter, hay for, 74.
Preserving green peas, 71.
Price of milk in Wellington area, 165.
Price of seed-wheat, 417.
Prohibition of export of cereals, 165.
Propagating cherry-plums, 491.
Propagating loganberries, 154.
Propagation of the carob-tree, 417.
Purchase of "Golden Swan," 354.
Purchase of hides by the Government, 333.
Purchase of sheep-skins by the Government, 158.

Q.

Quarantine, stock in, 82, 168, 254, 338.
Queen-bee-rearing at Ruakura, 177.
Queries regarding live-stock troubles, 476.

R.

Rats and their destruction, 178.
Remuneration of Government wool-brokers and fellmongers, 249.
Rennet from New Zealand vells, 377.
Rennet-supply, calves' vells for the, 133.
Requisition of New Zealand wool, 76, 249.
Root crops, feeding off, in the South, 216.
Ruakura Apiary, field-day at the, 305.
Ruakura, lucerne-culture at, 423.
Ruakura, milking-Shorthorn herd at, 389.

S.

Sandy garden, manures for, 493.
Scouring in calves, 393.
Seed-growing, cocksfoot for, 154.
Seed-testing, the need of, 390.
Seed-wheat, price of, 417.
Sheep "blown" on sorrel, 326.
Sheep-dip, supply of, 419.
Sheep-skins, purchase of, by the Government, 158.
Sheep-skins, restriction of sale of, 418.
Shows, dates of agricultural, 74, 156, 246, 338, 422, 500.
Smothering out sorrel at Ruakura, 115.
Soil-constituents, grazing and, 324.
Sorrel, smothering out, at Ruakura, 115.
Sour-sap in fruit-trees, 35.
Sour-sap and its associated fungi, 190.
South Island central regions, the depleted lands of the, 293.
Sowing grass-seeds with fertilizers, 492.
Sowing paspalum, 153.
Special-purpose dairy cow, a, 224.
Spraying and ladybirds, 242.
Spraying for gorse-destruction, &c., 414.
Spray-testing at Arataki, 219.
Staggers in horse, 413.
Stock exported, 82, 168, 254, 338, 421.
Stock in quarantine, 82, 168, 254, 338.
Supply of sheep-dip, 419.
Surface-sown grass-mixtures, 169.
Swelling on horse's leg, 72.

T.

Tapeworms in dog, 73.
Tasman, co-operative fruit-testing at, 345.
Tauhinu, destroying, 153.
Temporary fillers in pasture-formation at Ruakura, 28.
Testing of purebred dairy cows, 89.
Tomatoes, manuring, 71.
Tomatoes, pruning of, 244.
Tomato-growing without water, 47.
Top-dressing alluvial flat, 414.
Training-courses at Weraroa, 430, 500.
Tree-planting for farmers, 378.
Turnips, club-root in, 412.
Tutu poisoning, treatment for, 492.

V.

Vells, rennet from New Zealand, 377.
Vells, calves', for the rennet-supply, 133.
Veterinary and medical science, 186.

W.

Warts on cow's teats, 323.
Weeds, noxious, in New Zealand, 339.
Weraroa Central Development Farm and agricultural instruction, 83.
Weraroa, training-courses at, 430, 500.
Wheat and oats, estimated yields of, 168.
Wheat and oats threshings, 493.
Wheat crop, 1916, the world's, 78.
Wheat, flour, bran, and pollard, maximum prices for, 163.
Wheat-growers, assistance to, 418.
Wheat-production, increase the, 255.
Wheat-supply, the world's, 329.
Whitewash for fowlhouses, 323.
Wild oats, eradicating, 155.
Wind-galls in young horses, 411.
Woolbrokers and fellmongers, remuneration of Government, 249.
Wool, requisition of New Zealand, 76, 249.
Wool, the Empire's, 496.
Wool-sales, London, 78.
Work for the coming month, 55, 139, 226, 308, 397, 477.
World's outcrop, the, 78.
World's wheat crop, 1916, 78.
World's wheat-supply, the: future course of prices, 329.

ILLUSTRATIONS.

Gathering eucalyptus-seed in plantation near Cambridge : *Frontispiece, January.*

Eucalypts for settlers— Page

A group of *Eucalyptus punctata* 3
Nearer view of *Eucalyptus punctata* trees 4
Row of *Eucalyptus paniculata* 6
Specimen of *Eucalyptus sideroxylon* 8
Eucalyptus tereticornis and *E. eugenioides* at Remuera 11
Row of *Eucalyptus amygdalina* and *E. robusta* 14
Natural plantation of eucalypts, Waitati 18
Interior of natural plantation 20

Sour-sap in fruit-trees—

Close view of a leader 35
An apple-tree in normal condition 36
A five-year-old apple-tree affected with sour-sap 36
A three-year-old apple-tree affected with sour-sap 37
An apple-tree affected with sour-sap, lifted 37

Tomatoes grown without water at Arataki 47

A combination farm-gate—

The double farm-gate 51
Block arrangement and catch of double-gate 52

A North Island Harvest : *Frontispiece, February.*

Testing of purebred dairy cows—

Topsy's Nugget 90
Ethel of Friesland Park 93
Adelaide II of Waipapa 97

Outdoor culture of the grape-vine in New Zealand 101
A hundred-year-old vine trained and pruned on double Guyot system .. 102
Planting the vineyard : How to obtain a right angle 112
Suggested lay-out of a 10-acre vineyard 114

Eucalypts for settlers—

Belt of *Eucalyptus globulus*, Southland 117
Tools for the plantation 119
Eucalyptus coriacea 121
Eucalypts in combination with other trees 123

Machinery instruction at Ruakura 132

A Canterbury high-country station : *Frontispiece, March.*

Rats and their destruction—

Barrel traps 182
A Burmese trap 183

Outdoor culture of the grape-vine in New Zealand—

Young vine as received from nursery 198
How the vine should be planted 198
Grafted vine : first year's growth 199
Growth made by the vine from two buds 199
Vine cut back to four buds, second winter after planting 200
Growth made from the four buds during the third year 200
Pruned vine 201
Vine entering upon its first year of fruit-bearing 203
Spurred-back vine 204
Newly planted and pruned vine (Gros Maroc) 205
Plant of Pineau Meunier, pruned 205
Three-year-old vine of Teinturier, pruned 207
Seven-year-old vine of Black Hamburg, pruned 207
Seventeen-year-old vine of Foster's seedling 207
Four-year-old Iona vine trained on bank (natural method) 208
Unpruned Iona vine on espalier fence 208

Outdoor-culture of the grape-vine in New Zealand—*continued.* Page

Nineteen-year-old vine of Pineau Chardonay 209
Natural method of training 210
Growth made from five buds on each rod 210
Vine after winter pruning.. 211
Growth of vine during fourth year.. 212
The Chaintre method of training 213
Vineyard espalier fence 215
A pakihi demonstration area—
Italian rye-grass and red clover 223
Cow-grass 223
A special-purpose dairy cow: Kate 225
A good team 247
Lucerne at Milton Poultry-station: *Frontispiece, April.*
Certificate-of-record cows—
Salma Johanna Lyons 275
Sultan's Lass 275
Kanadale Linda.. 277
Outdoor culture of the grape-vine in New Zealand—
Box trap for tile drains 279
Black-spot of vine 285
A bird-scarer for the vineyard 288
Method of training for table grapes 290
The depleted lands of the South Island central regions—
Native grasses in an enclosed unburnt area, Central Otago 297
Depleted land in Central Otago, showing dead tussocks, &c. 297
Field-day at the Ruakura Apiary—
The gathering in the apiary 306
View showing the honey-house, &c. 306
Group at the apiary 322
A Hawke's Bay station homestead 328
Herefords in the Wanganui district: *Frontispiece, May.*
Co-operative fruit-testing: the Tasman area—
Parlin's Beauty 347
Shiawasse Beauty 347
Williams Bon Chrétien 349
Howell 349
"Golden Swan" at Ruakura 355
Ducks at Milton Poultry-station 356
Eucalyptus tereticornis in Sir J. G. Wilson's grounds, Bull's 362
Outdoor culture of the grape-vine in New Zealand—
Grafting-tools 367
Cleft-grafting on an old vine 369
Side-grafting, or Cadillac method, on an old vine 371
English cleft-grafting, on young rooted stock 372
English whip-tongue grafting 373
Splice-grafting 374
Coiffard method of grafting 375
Prizetaker yearling milking-Shorthorn heifers at Ruakura 389
Impurities in sample of alsike 392
A Nelson district raspberry plantation: *Frontispiece, June.*
Lucerne-culture at Ruakura—
Cultivating lucerne at Ruakura with rotary cultivator 425
Cutting the third crop 427
Sweeping in the third crop 428
Stacking the second crop—Hay-lift at work.. 429
Ewes grazing in lucerne-field at end of March 430
Pests and diseases of New Zealand flax—
Larvæ of *Xanthorhoe praefectata* on flax-leaf 432
Moths of *Xanthorhoe praefectata* 433
Cutting maize crop for ensilage at Opouriao 448
Certificate-of-record cows: Waipiko Myrtle 463
Poultry-feeding tests: the second year's leading pen, No. 4, Brown Leghorns 465

Digitized by the Internet Archive
in 2025

https://archive.org/details/new-zealand-journal-of-agriculture_2017_14_indexcontents

MR. RICHARD REYNOLDS (ON RIGHT) GATHERING EUCALYPTUS-SEED IN PLANTATION ON THORNTON ROAD, NEAR CAMBRIDGE.

The fallen tree is *E. obliqua;* the standing ones *E. eugenioides.*